

West Nile virus and other arboviral activity -- United States, 2016
Provisional data reported to ArboNET
Tuesday, November 15, 2016

This update from the CDC Arboviral Disease Branch includes provisional data reported to ArboNET for **January 1 – November 15, 2016** for nationally notifiable arboviruses other than dengue and chikungunya viruses. Additional resources for ArboNET and arboviral diseases are provided on page 10.

West Nile virus (WNV) activity in 2016

As of November 15th, 970 counties from 47 states and the District of Columbia have reported WNV activity to ArboNET for 2016, including 45 states and the District of Columbia with reported WNV human infections (i.e., disease cases or viremic blood donors) and two additional states with reported WNV activity in non-human species only (i.e., veterinary cases, mosquito pools, dead birds, or sentinel animals) [Figure 1].

Figure 1. West Nile virus (WNV) activity reported to ArboNET, by state — United States, 2016 (as of November 15, 2016)



*WNV human disease cases or presumptive viremic blood donors. Presumptive viremic blood donors have a positive screening test which has not necessarily been confirmed.

†WNV veterinary disease cases, or infections in mosquitoes, birds, or sentinel animals



Reported WNV disease cases

To date, 1,548 human WNV disease cases have been reported from 507 counties in 45 states and the District of Columbia [Table 1]. Dates of illness onset for cases ranged from January–October [Figure 2].

Of these, 813 (53%) were classified as neuroinvasive disease (such as meningitis or encephalitis) and 735 (47%) were classified as non-neuroinvasive disease [Figure 3]. Additional demographic and clinical characteristics of reported cases are provided [Table 7].

Presumptive viremic donors (PVDs)

Overall, 222 WNV PVDs have been reported from 29 states [Table 1]. Of these, 26 (12%) developed clinical illness.

Figure 2. WNV disease cases reported to ArboNET, by week of onset — United States, 2016





Table 1. West Nile virus infections in humans reported to ArboNET, 2016

State	Human disease cases reported to CDC*			Deaths	Presumptive viremic blood donors
	Neuroinvasive	Non-neuroinvasive	Total		
Alabama	6	4	10	0	1
Arizona	53	19	72	4	11
Arkansas	5	1	6	1	0
California	123	44	167	17	27
Colorado	54	84	138	7	9
Connecticut	1	0	1	0	0
District of Columbia	1	0	1	0	0
Florida	5	1	6	0	1
Georgia	3	0	3	0	3
Idaho	2	4	6	0	1
Illinois	26	121	147	5	9
Indiana	11	2	13	2	3
Iowa	14	23	37	1	5
Kansas	15	14	29	4	6
Kentucky	5	0	5	1	1
Louisiana	16	14	30	0	6
Massachusetts	9	5	14	0	0
Maryland	6	0	6	0	0
Michigan	40	1	41	2	5
Minnesota	21	26	47	1	15
Mississippi	25	11	36	1	12
Missouri	8	1	9	0	0
Montana	3	3	6	1	2
Nebraska	34	57	91	0	30
Nevada	12	3	15	0	1
New Jersey	10	0	10	1	2
New Mexico	5	0	5	1	0
New York	6	9	15	1	0
North Carolina	2	0	2	0	0
North Dakota	14	54	68	2	0
Ohio	10	5	15	3	5
Oklahoma	14	11	25	0	7
Oregon	2	1	3	0	1
Pennsylvania	11	5	16	1	2
Rhode Island	2	0	2	0	0
South Carolina	3	2	5	0	3
South Dakota	35	113	148	5	16
Tennessee	3	3	6	1	0
Texas	164	78	242	10	34
Utah	7	6	13	1	0
Vermont	2	1	3	0	0
Virginia	4	2	6	0	2
Washington	8	1	9	1	2
West Virginia	0	1	1	0	0
Wisconsin	6	3	9	0	0
Wyoming	7	2	9	0	0
Totals	813	735	1,548	74	222

*Includes confirmed and probable cases

Figure 3. West Nile virus (WNV) neuroinvasive disease incidence reported to ArboNET, by state — United States, 2016 (as of November 15, 2016)



Eastern equine encephalitis virus (EEEV) activity in 2016

As of November 15th, three counties in two states (Michigan and North Carolina) reported human cases of EEEV disease to ArboNET for 2016 [Figure 4 and Table 2]. Ninety six additional counties in 17 states have reported EEEV activity in non-human species only.

Figure 4. Eastern equine encephalitis virus (EEEV) activity reported to ArboNET, by state — United States, 2016 (as of November 15, 2016)




Table 2. Eastern equine encephalitis virus human disease cases reported to ArboNET, United States, 2016

	Neuroinvasive disease cases	Nonneuroinvasive disease cases	Total cases*	Deaths
Michigan	2	0	2	0
North Carolina	1	0	1	0
Totals	3	0	3	0

*Includes confirmed and probable cases.

Jamestown Canyon virus (JCV) activity in 2016

As of November 15th, two counties in Wisconsin reported human cases of JCV disease to ArboNET for 2016 [Figure 5 and Table 3]. Eight additional counties in three states have reported JCV activity in non-human species only.

Figure 5. Jamestown Canyon virus (JCV) activity reported to ArboNET, by state — United States, 2016 (as of November 15, 2016)




Table 3. Jamestown Canyon virus human disease cases reported to ArboNET, United States, 2016

	Neuroinvasive disease cases	Nonneuroinvasive disease cases	Total cases*	Deaths
Wisconsin	1	1	2	0
Totals	1	1	2	0

*Includes confirmed and probable cases.

La Crosse encephalitis virus (LACV) activity in 2016

As of November 15th, 22 counties in six states have reported human cases of LACV disease to ArboNET for 2016 [Figure 6 and Table 4]. One additional county in Connecticut has reported LACV activity in non-human species only. Additional demographic and clinical characteristics of reported cases are provided [Table 7].

Figure 6. La Crosse encephalitis virus (LACV) activity reported to ArboNET, by state — United States, 2016 (as of November 15, 2016)




Table 4. La Crosse encephalitis virus human disease cases reported to ArboNET, United States, 2016

	Neuroinvasive disease cases	Nonneuroinvasive disease cases	Total cases*	Deaths
Minnesota	2	0	2	0
North Carolina	8	0	8	0
Ohio	7	0	7	0
Tennessee	3	0	3	0
West Virginia	3	3	6	0
Wisconsin	0	1	1	0
Totals	23	4	27	0

*Includes confirmed and probable cases.

Powassan virus (POWV) activity in 2016

As of November 15th, seven counties in four states have reported human cases of POWV disease to ArboNET for 2016 [Figure 7 and Table 5]. Additional demographic and clinical characteristics of reported cases are provided [Table 7].

Figure 7. Powassan virus (POWV) activity reported to ArboNET, by state — United States, 2016 (as of November 15, 2016)




Table 5. Powassan virus human disease cases reported to ArboNET, United States, 2016

	Neuroinvasive disease cases	Nonneuroinvasive disease cases	Total cases*	Deaths
Massachusetts	2	0	2	1
Minnesota	1	1	2	0
Rhode Island	1	0	1	0
Wisconsin	2	0	2	0
Totals	6	1	7	1

*Includes confirmed and probable cases.

St. Louis encephalitis virus (SLEV) activity in 2016

As of November 15th, six counties in five states have reported human cases of SLEV disease to ArboNET for 2016 [Figure 8 and Table 6]. Nineteen additional counties in six states have reported SLEV activity in non-human species only. Additional demographic and clinical characteristics of reported cases are provided [Table 7].

Figure 8. St. Louis encephalitis virus (SLEV) activity reported to ArboNET, by state — United States, 2016 (as of November 15, 2016)




Table 6. St. Louis encephalitis virus human disease cases reported to ArboNET, United States, 2016

	Neuroinvasive disease cases	Nonneuroinvasive disease cases	Total cases*	Deaths
California	2	0	2	0
Illinois	1	0	1	0
Maine	1	0	1	0
Nevada	2	1	3	0
Utah	1	0	1	1
Totals	7	1	8	1

*Includes confirmed and probable cases.

Table 7. Characteristics of reported cases of arboviral disease, United States, 2016

	LAC (N=27)		POW (N=7)		SLE (N=8)		WNV (N=1,548)	
	No.	(%)	No.	(%)	No.	(%)	No.	(%)
Age group								
<20 years	20	(74)	0	(0)	0	(0)	63	(4)
20-39 years	4	(15)	0	(0)	1	(13)	266	(17)
40-49 years	0	(0)	0	(0)	0	(0)	229	(15)
50-59 years	2	(7)	0	(0)	4	(50)	333	(22)
≥60 years	1	(4)	7	(100)	3	(38)	657	(42)
Male sex	21	(78)	6	(86)	4	(50)	939	(61)
Onset of illness								
January	0	(0)	0	(0)	0	(0)	2	(<1)
February	0	(0)	0	(0)	0	(0)	0	(0)
March	0	(0)	0	(0)	0	(0)	0	(0)
April	0	(0)	2	(29)	0	(0)	2	(<1)
May	1	(4)	2	(29)	0	(0)	17	(1)
June	3	(11)	1	(14)	1	(13)	61	(4)
July	5	(19)	1	(14)	5	(63)	307	(20)
August	11	(41)	0	(0)	1	(13)	744	(48)
September	5	(19)	1	(14)	1	(13)	360	(23)
October	2	(7)	0	(0)	0	(0)	55	(4)
Clinical syndrome*								
Nonneuroinvasive	4	(15)	1	(14)	1	(13)	735	(47)
Neuroinvasive								
Encephalitis	19	(70)	5	(71)	5	(63)	418	(27)
Meningitis	4	(15)	1	(14)	0	(0)	316	(20)
Acute flaccid paralysis	0	(0)	0	(0)	1	(13)	74	(5)
Guillain-Barre	0	(0)	0	(0)	0	(0)	3	(<1)
Other neuroinvasive	0	(0)	0	(0)	1	(13)	38	(2)
Outcome								
Hospitalization	25	(93)	7	(100)	8	(100)	1,005	(65)
Death	0	(0)	1	(14)	1	(13)	74	(5)

* 36 cases have reported multiple clinical syndromes



About ArboNET

ArboNET is a national arboviral surveillance system managed by CDC and state health departments. In addition to human disease, ArboNET maintains data on arboviral infections among presumptive viremic blood donors (PVDs), veterinary disease cases, mosquitoes, dead birds, and sentinel animals. As with other national surveillance data, ArboNET data has several limitations that should be considered in analysis, interpretation, and reporting [Box].

Box: Limitations of ArboNET data

The following should be considered in the analysis, interpretation, and reporting of ArboNET data:

1. ArboNET is a passive surveillance system. It is dependent on clinicians considering the diagnosis of an arboviral disease and obtaining the appropriate diagnostic test, and reporting of laboratory-confirmed cases to public health authorities. Diagnosis and reporting are incomplete, and the incidence of arboviral diseases is underestimated.
2. Reported neuroinvasive disease cases are considered the most accurate indicator of arboviral activity in humans because of the substantial associated morbidity. In contrast, reported cases of nonneuroinvasive arboviral disease are more likely to be affected by disease awareness and healthcare-seeking behavior in different communities and by the availability and specificity of laboratory tests performed. Surveillance data for nonneuroinvasive disease should be interpreted with caution and generally should not be used to make comparisons between geographic areas or over time.

Additional resources

For additional arboviral disease information and data, please visit the following websites:

- CDC's Division of Vector-Borne Diseases:
<http://www.cdc.gov/ncezid/dvbd/>
- National Notifiable Diseases Surveillance System:
<http://wwwn.cdc.gov/nndss/conditions/arboviral-diseases-neuroinvasive-and-non-neuroinvasive/case-definition/2015/>
- U.S. Geological Survey (USGS):
<http://diseasemaps.usgs.gov/mapviewer/>
- AABB (American Association of Blood Banks):
www.aabb.org/programs/biovigilance/Pages/wnv.aspx