

Mosquito pool summary with Minimum Infection Rates per 1,000

(includes all pools tested at CVEC through Friday, September 30th, 2005)

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
Alameda County MAD				
July				
<i>Cx erythrothorax</i>	20	1000	0	0.0
<i>Cx pipiens</i>	13	586	0	0.0
<i>Cx tarsalis</i>	6	265	0	0.0
August				
<i>An freeborni</i>	1	29	0	0.0
<i>Cx erythrothorax</i>	137	6713	0	0.0
<i>Cx pipiens</i>	57	2380	0	0.0
<i>Cx tarsalis</i>	42	1606	1	0.6
<i>Oc dorsalis</i>	1	35	0	0.0
September				
<i>An freeborni</i>	1	26	0	0.0
<i>Cx erythrothorax</i>	24	1117	0	0.0
<i>Cx pipiens</i>	35	1389	1	0.7
<i>Cx tarsalis</i>	15	446	0	0.0
Alameda County VCSD				
June				
<i>Cx pipiens</i>	4	117	0	0.0
<i>Cx tarsalis</i>	5	76	0	0.0
July				
<i>Cx pipiens</i>	9	282	0	0.0
<i>Cx tarsalis</i>	5	67	0	0.0
August				
<i>Cx pipiens</i>	7	214	0	0.0
September				
<i>Cx pipiens</i>	2	72	0	0.0
Antelope Valley MVCD				
June				
<i>Cx quinquefasciatus</i>	5	38	0	0.0
<i>Cx tarsalis</i>	5	49	0	0.0
July				
<i>Cx quinquefasciatus</i>	3	32	0	0.0
<i>Cx tarsalis</i>	23	1045	0	0.0
August				
<i>Cx quinquefasciatus</i>	1	20	0	0.0
<i>Cx tarsalis</i>	8	323	1	3.1

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
September				
<i>Cx quinquefasciatus</i>	5	63	0	0.0
<i>Cx stigmatosoma</i>	2	40	0	0.0
<i>Cx tarsalis</i>	2	13	0	0.0
Butte County MVCD				
July				
<i>Cx tarsalis</i>	5	250	0	0.0
August				
<i>Cs incidens</i>	1	11	0	0.0
<i>Cx pipiens</i>	1	13	0	0.0
<i>Cx tarsalis</i>	4	133	3	22.6
September				
<i>Cs incidens</i>	2	96	0	0.0
<i>Cx pipiens</i>	9	325	0	0.0
<i>Cx stigmatosoma</i>	1	18	0	0.0
<i>Cx tarsalis</i>	4	133	1	7.5
<i>Oc melanimon</i>	9	432	0	0.0
Coachella Valley MVCD				
January				
<i>Cs inornata</i>	11	301	0	0.0
<i>Cx quinquefasciatus</i>	4	81	0	0.0
<i>Cx tarsalis</i>	59	2605	0	0.0
February				
<i>Cs inornata</i>	5	117	0	0.0
<i>Cx quinquefasciatus</i>	3	36	0	0.0
<i>Cx tarsalis</i>	50	2141	0	0.0
<i>Oc dorsalis</i>	1	26	0	0.0
March				
	1	50	0	0.0
<i>Ae vexans</i>	1	50	0	0.0
<i>Cx erythrothorax</i>	4	190	0	0.0
<i>Cx quinquefasciatus</i>	9	415	0	0.0
<i>Cx tarsalis</i>	274	13111	0	0.0
<i>Oc dorsalis</i>	1	8	0	0.0
April				
<i>Cx erraticus</i>	1	9	0	0.0
<i>Cx quinquefasciatus</i>	70	2813	0	0.0
<i>Cx tarsalis</i>	439	20649	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
May					
	<i>An franciscanus</i>	1	50	0	0.0
	<i>Cx erraticus</i>	1	50	0	0.0
	<i>Cx quinquefasciatus</i>	94	3615	0	0.0
	<i>Cx tarsalis</i>	459	21354	2	0.1
June					
	<i>Cx quinquefasciatus</i>	56	1817	5	2.8
	<i>Cx tarsalis</i>	286	12547	3	0.2
July					
	<i>Cx quinquefasciatus</i>	99	3072	39	12.7
	<i>Cx stigmatosoma</i>	3	11	0	0.0
	<i>Cx tarsalis</i>	79	2228	1	0.4
August					
	<i>Cx quinquefasciatus</i>	84	1316	6	4.6
	<i>Cx tarsalis</i>	92	2842	8	2.8
September					
	<i>Cx quinquefasciatus</i>	64	1136	2	1.8
	<i>Cx tarsalis</i>	248	10488	21	2.0
Consolidated MAD					
March					
	<i>Cx tarsalis</i>	2	100	0	0.0
April					
	<i>Cx erythrothorax</i>	5	218	0	0.0
	<i>Cx quinquefasciatus</i>	7	219	0	0.0
	<i>Cx tarsalis</i>	15	640	0	0.0
May					
	<i>Cx erythrothorax</i>	4	200	0	0.0
	<i>Cx quinquefasciatus</i>	30	1135	2	1.8
	<i>Cx tarsalis</i>	20	846	0	0.0
June					
	<i>Cx erythrothorax</i>	3	143	0	0.0
	<i>Cx quinquefasciatus</i>	42	1424	0	0.0
	<i>Cx stigmatosoma</i>	1	14	0	0.0
	<i>Cx tarsalis</i>	25	1096	3	2.7
July					
	<i>An freeborni</i>	1	21	0	0.0
	<i>Cs incidens</i>	2	77	0	0.0
	<i>Cx erythrothorax</i>	2	28	0	0.0
	<i>Cx quinquefasciatus</i>	36	1272	18	14.2
	<i>Cx stigmatosoma</i>	3	80	3	37.5
	<i>Cx tarsalis</i>	25	944	14	14.8

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
August				
<i>Cx quinquefasciatus</i>	20	463	9	19.4
<i>Cx tarsalis</i>	17	436	4	9.2
September				
<i>Ae vexans</i>	1	18	0	0.0
<i>Cx erythrothorax</i>	1	18	0	0.0
<i>Cx quinquefasciatus</i>	32	714	4	5.6
<i>Cx tarsalis</i>	15	303	1	3.3
Contra Costa MVCD				
May				
<i>Cx erythrothorax</i>	10	500	0	0.0
<i>Cx tarsalis</i>	5	250	0	0.0
June				
<i>Cx erythrothorax</i>	18	885	0	0.0
<i>Cx pipiens</i>	4	200	0	0.0
<i>Cx tarsalis</i>	32	1593	0	0.0
<i>Oc melanimon</i>	2	94	0	0.0
July				
<i>Cx erythrothorax</i>	26	1280	0	0.0
<i>Cx pipiens</i>	3	137	0	0.0
<i>Cx tarsalis</i>	47	2151	0	0.0
<i>Oc melanimon</i>	3	103	0	0.0
August				
<i>Cx erythrothorax</i>	23	1147	0	0.0
<i>Cx pipiens</i>	3	114	0	0.0
<i>Cx tarsalis</i>	50	2398	0	0.0
<i>Oc melanimon</i>	26	1228	0	0.0
September				
<i>Ae vexans</i>	2	50	0	0.0
<i>Cx erythrothorax</i>	20	1000	0	0.0
<i>Cx pipiens</i>	8	341	0	0.0
<i>Cx tarsalis</i>	60	2872	1	0.3
<i>Oc melanimon</i>	7	285	0	0.0
Delta VCD				
April				
<i>Cx erythrothorax</i>	1	13	0	0.0
May				
<i>Cx erythrothorax</i>	4	185	0	0.0
<i>Cx tarsalis</i>	4	126	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
June				
<i>Cx erythrothorax</i>	3	132	0	0.0
<i>Cx quinquefasciatus</i>	11	446	1	2.2
<i>Cx stigmatosoma</i>	1	14	0	0.0
<i>Cx tarsalis</i>	19	818	0	0.0
July				
<i>Cx quinquefasciatus</i>	25	728	12	16.5
<i>Cx tarsalis</i>	1	15	0	0.0
August				
<i>Cx quinquefasciatus</i>	23	845	3	3.6
<i>Cx tarsalis</i>	2	25	0	0.0
September				
<i>Cx quinquefasciatus</i>	5	169	0	0.0
<i>Cx tarsalis</i>	1	17	0	0.0
El Dorado County Environmental Management				
August				
<i>Cx tarsalis</i>	1	12	0	0.0
El Dorado Vector Control				
August				
<i>Oc fitchii</i>	1	19	0	0.0
<i>Oc increpitus</i>	1	11	0	0.0
<i>Oc pullatus</i>	1	31	0	0.0
Fresno MVCD				
May				
<i>Cx tarsalis</i>	8	350	0	0.0
June				
<i>Cs incidens</i>	1	11	0	0.0
<i>Cx quinquefasciatus</i>	4	133	0	0.0
<i>Cx tarsalis</i>	6	290	0	0.0
July				
<i>Cs incidens</i>	1	18	0	0.0
<i>Cx quinquefasciatus</i>	1	17	0	0.0
<i>Cx tarsalis</i>	2	85	0	0.0
August				
<i>Cx quinquefasciatus</i>	9	405	1	2.5
<i>Cx tarsalis</i>	5	207	3	14.5
September				
<i>Cx tarsalis</i>	1	50	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
Fresno Westside MAD					
May					
	<i>Cx quinquefasciatus</i>	3	123	0	0.0
	<i>Cx tarsalis</i>	5	134	0	0.0
June					
	<i>Cx quinquefasciatus</i>	2	41	0	0.0
	<i>Cx tarsalis</i>	14	594	0	0.0
	<i>Oc melanimon</i>	3	126	0	0.0
July					
	<i>Cx quinquefasciatus</i>	1	24	0	0.0
	<i>Cx tarsalis</i>	17	778	6	7.7
	<i>Oc melanimon</i>	1	42	0	0.0
August					
	<i>Cx tarsalis</i>	13	485	4	8.2
September					
	<i>Cx tarsalis</i>	2	69	0	0.0
	<i>Oc melanimon</i>	1	50	0	0.0
Glenn County MVCD					
July					
	<i>Cx tarsalis</i>	23	1150	3	2.6
August					
	<i>An freeborni</i>	5	250	0	0.0
	<i>Cx tarsalis</i>	18	900	2	2.2
	<i>Oc melanimon</i>	1	50	0	0.0
Greater LA County VCD					
January					
	<i>Cx quinquefasciatus</i>	18	617	0	0.0
February					
	<i>Cs incidens</i>	2	30	0	0.0
	<i>Cx erythrothorax</i>	21	952	0	0.0
	<i>Cx quinquefasciatus</i>	14	340	0	0.0
March					
	<i>Cs incidens</i>	7	233	0	0.0
	<i>Cx erythrothorax</i>	27	1323	0	0.0
	<i>Cx quinquefasciatus</i>	83	2351	0	0.0
	<i>Cx stigmatosoma</i>	4	51	0	0.0
	<i>Cx tarsalis</i>	4	97	0	0.0
	<i>Cx thriambus</i>	1	50	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
April				
<i>An hermsi</i>	2	26	0	0.0
<i>Cs incidens</i>	4	110	0	0.0
<i>Cs inornata</i>	1	13	0	0.0
<i>Cx erythrothorax</i>	31	1378	0	0.0
<i>Cx quinquefasciatus</i>	182	6600	0	0.0
<i>Cx stigmatosoma</i>	10	212	0	0.0
<i>Cx tarsalis</i>	11	284	0	0.0
May				
<i>An hermsi</i>	2	67	0	0.0
<i>Cx erythrothorax</i>	73	3501	0	0.0
<i>Cx quinquefasciatus</i>	297	11192	1	0.1
<i>Cx restuans</i>	3	64	0	0.0
<i>Cx stigmatosoma</i>	26	534	0	0.0
<i>Cx tarsalis</i>	40	1192	0	0.0
<i>Cx thriambus</i>	12	487	0	0.0
<i>Oc washinoi</i>	1	50	0	0.0
June				
<i>Cx erythrothorax</i>	8	397	0	0.0
<i>Cx quinquefasciatus</i>	482	19819	31	1.6
<i>Cx restuans</i>	10	383	0	0.0
<i>Cx stigmatosoma</i>	45	632	1	1.6
<i>Cx tarsalis</i>	52	1151	4	3.5
<i>Cx thriambus</i>	21	852	0	0.0
July				
<i>Cx quinquefasciatus</i>	325	12362	32	2.6
<i>Cx restuans</i>	5	148	0	0.0
<i>Cx stigmatosoma</i>	34	576	2	3.5
<i>Cx tarsalis</i>	46	1190	10	8.4
<i>Cx thriambus</i>	13	528	1	1.9
August				
<i>Cx quinquefasciatus</i>	270	9200	63	6.8
<i>Cx restuans</i>	3	80	0	0.0
<i>Cx stigmatosoma</i>	13	195	4	20.5
<i>Cx tarsalis</i>	36	1159	4	3.5
<i>Cx thriambus</i>	15	547	2	3.7

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
September				
<i>Cx erythrothorax</i>	33	1445	0	0.0
<i>Cx quinquefasciatus</i>	179	5568	16	2.9
<i>Cx restuans</i>	2	50	0	0.0
<i>Cx stigmatosoma</i>	6	123	1	8.1
<i>Cx tarsalis</i>	26	906	0	0.0
<i>Cx thriambus</i>	9	271	2	7.4
Imperial County Health Dept				
March				
<i>Cx erythrothorax</i>	3	150	0	0.0
<i>Cx tarsalis</i>	20	834	0	0.0
April				
<i>Cx erythrothorax</i>	6	263	0	0.0
<i>Cx tarsalis</i>	18	745	0	0.0
<i>Oc dorsalis</i>	1	12	0	0.0
May				
<i>Cx erythrothorax</i>	5	250	0	0.0
<i>Cx stigmatosoma</i>	1	50	0	0.0
<i>Cx tarsalis</i>	23	890	0	0.0
<i>Ps columbiae</i>	1	50	0	0.0
June				
<i>Ae vexans</i>	2	37	0	0.0
<i>Cx erythrothorax</i>	1	50	0	0.0
<i>Cx quinquefasciatus</i>	6	184	0	0.0
<i>Cx tarsalis</i>	30	1191	0	0.0
<i>Oc dorsalis</i>	3	77	0	0.0
<i>Ps columbiae</i>	1	15	0	0.0
July				
<i>Cx erythrothorax</i>	1	35	0	0.0
<i>Cx tarsalis</i>	5	107	0	0.0
<i>Oc dorsalis</i>	1	15	0	0.0
<i>Ps columbiae</i>	2	87	0	0.0
August				
<i>Cx erythrothorax</i>	1	48	1	20.8
<i>Cx quinquefasciatus</i>	1	13	0	0.0
<i>Cx tarsalis</i>	1	23	1	43.5
<i>Ps columbiae</i>	1	50	0	0.0
September				
<i>Cx erythrothorax</i>	7	333	0	0.0
<i>Cx quinquefasciatus</i>	2	36	0	0.0
<i>Cx stigmatosoma</i>	1	15	0	0.0
<i>Cx tarsalis</i>	7	216	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
Kern MVCD				
February				
<i>Cx tarsalis</i>	3	42	0	0.0
March				
<i>Cx erythrothorax</i>	12	578	0	0.0
<i>Cx quinquefasciatus</i>	2	8	0	0.0
<i>Cx tarsalis</i>	30	1245	0	0.0
<i>Oc melanimon</i>	22	831	0	0.0
April				
<i>Cx erythrothorax</i>	4	175	0	0.0
<i>Cx quinquefasciatus</i>	26	607	0	0.0
<i>Cx tarsalis</i>	68	2936	0	0.0
<i>Oc melanimon</i>	6	96	0	0.0
May				
<i>Cx erythrothorax</i>	22	1082	0	0.0
<i>Cx quinquefasciatus</i>	52	1548	0	0.0
<i>Cx tarsalis</i>	119	5276	0	0.0
<i>Oc melanimon</i>	24	1105	0	0.0
June				
<i>Cx quinquefasciatus</i>	92	3617	7	1.9
<i>Cx tarsalis</i>	211	9828	20	2.0
<i>Oc melanimon</i>	60	2737	0	0.0
July				
<i>Cx erythrothorax</i>	6	141	0	0.0
<i>Cx quinquefasciatus</i>	82	3264	37	11.3
<i>Cx stigmatosoma</i>	1	5	0	0.0
<i>Cx tarsalis</i>	117	5323	62	11.6
<i>Oc melanimon</i>	28	1129	0	0.0
August				
<i>Cx apicalis</i>	1	5	0	0.0
<i>Cx erythrothorax</i>	4	80	0	0.0
<i>Cx quinquefasciatus</i>	85	3061	41	13.4
<i>Cx tarsalis</i>	97	4038	33	8.2
<i>Cx thriambus</i>	1	8	0	0.0
<i>Oc melanimon</i>	15	518	0	0.0
September				
<i>Cx erythrothorax</i>	2	23	0	0.0
<i>Cx quinquefasciatus</i>	78	3024	15	5.0
<i>Cx tarsalis</i>	61	2683	3	1.1
<i>Oc melanimon</i>	18	736	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
Kings MAD				
August				
<i>Cx quinquefasciatus</i>	11	313	3	9.6
<i>Cx tarsalis</i>	11	423	0	0.0
September				
<i>Cx quinquefasciatus</i>	10	287	0	0.0
<i>Cx tarsalis</i>	5	81	0	0.0
Lake County VCD				
March				
<i>Cx tarsalis</i>	1	15	0	0.0
April				
<i>Cx stigmatosoma</i>	1	14	0	0.0
<i>Cx tarsalis</i>	1	12	0	0.0
May				
<i>Cs inornata</i>	3	150	0	0.0
<i>Cx erythrothorax</i>	2	95	0	0.0
<i>Cx tarsalis</i>	3	109	0	0.0
<i>Oc sierrensis</i>	2	85	0	0.0
June				
<i>Cq perturbans</i>	1	29	0	0.0
<i>Cs inornata</i>	1	50	0	0.0
<i>Cx erythrothorax</i>	2	48	0	0.0
<i>Cx stigmatosoma</i>	2	46	0	0.0
<i>Cx tarsalis</i>	8	296	0	0.0
<i>Oc sierrensis</i>	4	149	0	0.0
July				
<i>An freeborni</i>	2	100	0	0.0
<i>Cq perturbans</i>	1	33	0	0.0
<i>Cs incidens</i>	1	16	0	0.0
<i>Cs inornata</i>	4	179	0	0.0
<i>Cx erythrothorax</i>	22	1091	0	0.0
<i>Cx stigmatosoma</i>	5	134	0	0.0
<i>Cx tarsalis</i>	65	3039	2	0.7
<i>Oc melanimon</i>	1	16	0	0.0
<i>Oc sierrensis</i>	3	125	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
August				
<i>An franciscanus</i>	1	23	0	0.0
<i>An freeborni</i>	13	451	1	2.2
<i>An punctipennis</i>	1	50	0	0.0
<i>Cs inornata</i>	2	35	0	0.0
<i>Cx erythrothorax</i>	20	912	0	0.0
<i>Cx stigmatosoma</i>	9	204	4	19.6
<i>Cx tarsalis</i>	97	4305	16	3.7
<i>Oc melanimon</i>	2	30	0	0.0
<i>Oc sierrensis</i>	1	15	0	0.0
September				
<i>An freeborni</i>	8	141	0	0.0
<i>Cx erythrothorax</i>	5	250	0	0.0
<i>Cx stigmatosoma</i>	6	45	1	22.2
<i>Cx tarsalis</i>	29	1139	4	3.5
Long Beach VCP				
March				
<i>Cx erythrothorax</i>	1	15	0	0.0
<i>Cx quinquefasciatus</i>	26	922	0	0.0
<i>Cx stigmatosoma</i>	2	42	0	0.0
<i>Cx tarsalis</i>	34	1272	0	0.0
May				
<i>Cx quinquefasciatus</i>	7	117	0	0.0
<i>Cx tarsalis</i>	10	251	0	0.0
June				
<i>Cx quinquefasciatus</i>	70	2513	0	0.0
<i>Cx tarsalis</i>	24	700	6	8.6
July				
<i>Cx quinquefasciatus</i>	60	2131	6	2.8
<i>Cx tarsalis</i>	4	85	0	0.0
August				
<i>Cx quinquefasciatus</i>	76	2504	13	5.2
<i>Cx tarsalis</i>	26	1062	2	1.9
September				
<i>Cx quinquefasciatus</i>	53	1672	6	3.6
<i>Cx tarsalis</i>	4	88	0	0.0
Los Angeles County West VCD				
January				
<i>Cs incidens</i>	4	170	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
February				
<i>Cs incidens</i>	2	36	0	0.0
<i>Cx quinquefasciatus</i>	3	49	0	0.0
March				
<i>Cs incidens</i>	27	1149	0	0.0
<i>Cx quinquefasciatus</i>	8	205	0	0.0
April				
<i>Cs incidens</i>	30	1294	0	0.0
<i>Cx quinquefasciatus</i>	51	2033	0	0.0
<i>Cx tarsalis</i>	6	161	0	0.0
May				
<i>Cs incidens</i>	8	271	0	0.0
<i>Cx quinquefasciatus</i>	54	1854	0	0.0
<i>Cx tarsalis</i>	1	13	0	0.0
June				
<i>Cs incidens</i>	18	815	0	0.0
<i>Cx quinquefasciatus</i>	54	1956	0	0.0
<i>Cx tarsalis</i>	3	69	0	0.0
July				
<i>Cx quinquefasciatus</i>	69	2608	0	0.0
August				
<i>Cs incidens</i>	2	62	0	0.0
<i>Cx quinquefasciatus</i>	59	2082	0	0.0
<i>Cx stigmatosoma</i>	2	39	0	0.0
<i>Cx tarsalis</i>	3	49	0	0.0
September				
<i>Cs incidens</i>	1	27	0	0.0
<i>Cx quinquefasciatus</i>	16	409	1	2.4
<i>Cx stigmatosoma</i>	1	21	0	0.0
<i>Cx tarsalis</i>	3	126	0	0.0
Madera County MVCD				
June				
<i>Cx pipiens</i>	5	250	0	0.0
<i>Cx tarsalis</i>	3	150	1	6.7
July				
<i>Cx pipiens</i>	1	50	0	0.0
<i>Cx tarsalis</i>	3	150	1	6.7
August				
<i>Cx pipiens</i>	4	200	2	10.0
<i>Cx tarsalis</i>	1	50	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
September					
	<i>Cx pip/quinq</i>	4	200	0	0.0
	<i>Cx tarsalis</i>	1	50	0	0.0
Marin-Sonoma MVCD					
April					
	<i>Cs inornata</i>	1	12	0	0.0
June					
	<i>Cx erythrothorax</i>	10	499	0	0.0
	<i>Cx pipiens</i>	6	289	0	0.0
	<i>Cx stigmatosoma</i>	1	32	0	0.0
	<i>Cx tarsalis</i>	1	10	0	0.0
July					
	<i>Cx erythrothorax</i>	9	440	0	0.0
Merced County MAD					
April					
	<i>Cx erythrothorax</i>	3	110	0	0.0
	<i>Cx pipiens</i>	1	50	0	0.0
	<i>Cx tarsalis</i>	1	15	0	0.0
May					
	<i>Cx erythrothorax</i>	10	238	0	0.0
	<i>Cx pipiens</i>	17	519	0	0.0
	<i>Cx tarsalis</i>	20	710	0	0.0
	<i>Oc melanimon</i>	1	15	0	0.0
June					
	<i>Cx erythrothorax</i>	9	264	0	0.0
	<i>Cx pipiens</i>	56	1808	1	0.6
	<i>Cx stigmatosoma</i>	2	22	0	0.0
	<i>Cx tarsalis</i>	44	1592	2	1.3
July					
	<i>Cx erythrothorax</i>	2	66	0	0.0
	<i>Cx pipiens</i>	35	1163	1	0.9
	<i>Cx tarsalis</i>	12	340	2	5.9
	<i>Cx thriambus</i>	1	33	0	0.0
August					
	<i>Cx pipiens</i>	59	2136	16	7.5
	<i>Cx stigmatosoma</i>	2	44	1	22.7
	<i>Cx tarsalis</i>	42	1694	4	2.4
	<i>Cx thriambus</i>	1	12	0	0.0
September					
	<i>Cx pipiens</i>	105	4291	3	0.7
	<i>Cx tarsalis</i>	63	2545	2	0.8

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
Nevada County Dept of Agriculture					
September					
	<i>Cx pipiens</i>	1	10	0	0.0
	<i>Cx tarsalis</i>	1	17	0	0.0
Northwest MVCD					
January					
	<i>Cx erythrothorax</i>	10	433	0	0.0
February					
	<i>Cs inornata</i>	1	14	0	0.0
	<i>Cx erythrothorax</i>	5	206	0	0.0
March					
	<i>Cx erythrothorax</i>	6	300	0	0.0
April					
	<i>Cs inornata</i>	2	32	0	0.0
	<i>Cs particeps</i>	1	23	0	0.0
	<i>Cx erythrothorax</i>	53	2609	0	0.0
	<i>Cx tarsalis</i>	2	44	0	0.0
May					
	<i>Cs incidens</i>	1	24	0	0.0
	<i>Cs inornata</i>	7	218	0	0.0
	<i>Cs particeps</i>	2	29	0	0.0
	<i>Cx erythrothorax</i>	17	795	0	0.0
	<i>Cx quinquefasciatus</i>	8	234	0	0.0
	<i>Cx stigmatosoma</i>	18	750	0	0.0
	<i>Cx tarsalis</i>	20	784	0	0.0
June					
	<i>An hermsi</i>	5	217	0	0.0
	<i>Cs incidens</i>	5	176	0	0.0
	<i>Cs inornata</i>	1	12	0	0.0
	<i>Cs particeps</i>	2	28	0	0.0
	<i>Cx erythrothorax</i>	27	1161	0	0.0
	<i>Cx quinquefasciatus</i>	35	1358	0	0.0
	<i>Cx stigmatosoma</i>	18	627	0	0.0
	<i>Cx tarsalis</i>	30	1204	1	0.8
	<i>Cx thriambus</i>	1	30	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
July				
<i>An hermsi</i>	1	20	0	0.0
<i>Cx erythrothorax</i>	33	1400	0	0.0
<i>Cx quinquefasciatus</i>	12	431	0	0.0
<i>Cx stigmatosoma</i>	1	17	0	0.0
<i>Cx tarsalis</i>	6	143	1	7.0
<i>Cx thriambus</i>	1	39	0	0.0
August				
<i>An hermsi</i>	2	30	0	0.0
<i>Cs particeps</i>	1	16	0	0.0
<i>Cx erythrothorax</i>	44	1904	0	0.0
<i>Cx quinquefasciatus</i>	16	490	2	4.1
<i>Cx stigmatosoma</i>	2	47	0	0.0
<i>Cx tarsalis</i>	7	159	1	6.3
<i>Cx thriambus</i>	7	178	1	5.6
September				
<i>Cx erythrothorax</i>	10	341	0	0.0
<i>Cx quinquefasciatus</i>	12	349	0	0.0
<i>Cx stigmatosoma</i>	2	29	0	0.0
<i>Cx tarsalis</i>	4	71	0	0.0
Orange County VCD				
January				
<i>Cs incidens</i>	3	75	0	0.0
<i>Cs inornata</i>	8	121	0	0.0
<i>Cx erythrothorax</i>	3	43	0	0.0
<i>Cx quinquefasciatus</i>	61	1742	1	0.6
<i>Cx stigmatosoma</i>	2	38	0	0.0
February				
<i>Cs incidens</i>	12	236	0	0.0
<i>Cs inornata</i>	21	550	0	0.0
<i>Cx erythrothorax</i>	25	990	0	0.0
<i>Cx quinquefasciatus</i>	63	1562	0	0.0
<i>Cx stigmatosoma</i>	5	75	0	0.0
<i>Cx tarsalis</i>	1	35	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
March				
<i>Cs incidens</i>	30	635	0	0.0
<i>Cs inornata</i>	40	1119	0	0.0
<i>Cs particeps</i>	1	12	0	0.0
<i>Cx erythrothorax</i>	96	4190	0	0.0
<i>Cx quinquefasciatus</i>	177	5684	0	0.0
<i>Cx restuans</i>	2	24	0	0.0
<i>Cx stigmatosoma</i>	6	74	0	0.0
<i>Cx tarsalis</i>	16	564	0	0.0
<i>Oc washinoi</i>	10	300	0	0.0
April				
<i>An hermsi</i>	5	85	0	0.0
<i>Cs incidens</i>	55	1228	0	0.0
<i>Cs inornata</i>	4	106	0	0.0
<i>Cx erythrothorax</i>	71	3026	0	0.0
<i>Cx quinquefasciatus</i>	156	5089	0	0.0
<i>Cx restuans</i>	2	26	0	0.0
<i>Cx stigmatosoma</i>	25	510	0	0.0
<i>Cx tarsalis</i>	50	1680	0	0.0
<i>Oc squamiger</i>	1	12	0	0.0
<i>Oc washinoi</i>	5	135	0	0.0
May				
<i>Ae washinoi</i>	1	26	0	0.0
<i>An hermsi</i>	10	229	0	0.0
<i>Cs incidens</i>	52	1119	0	0.0
<i>Cs particeps</i>	3	46	0	0.0
<i>Cx erythrothorax</i>	88	3751	0	0.0
<i>Cx quinquefasciatus</i>	229	7722	0	0.0
<i>Cx restuans</i>	4	50	0	0.0
<i>Cx stigmatosoma</i>	39	1104	0	0.0
<i>Cx tarsalis</i>	84	3160	0	0.0
<i>Cx thriambus</i>	1	19	0	0.0
<i>Oc washinoi</i>	3	38	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
June					
	<i>An hermsi</i>	23	545	0	0.0
	<i>Cs incidens</i>	34	727	0	0.0
	<i>Cs inornata</i>	1	21	0	0.0
	<i>Cs particeps</i>	2	34	0	0.0
	<i>Cx erythrothorax</i>	96	3781	0	0.0
	<i>Cx quinquefasciatus</i>	338	12677	9	0.7
	<i>Cx restuans</i>	3	112	0	0.0
	<i>Cx stigmatosoma</i>	54	1619	0	0.0
	<i>Cx tarsalis</i>	100	3611	7	1.9
	<i>Cx thriambus</i>	7	129	0	0.0
July					
	<i>An franciscanus</i>	4	78	0	0.0
	<i>An hermsi</i>	20	543	0	0.0
	<i>Cx erythrothorax</i>	37	1357	1	0.7
	<i>Cx quinquefasciatus</i>	254	9286	26	2.8
	<i>Cx restuans</i>	5	74	0	0.0
	<i>Cx stigmatosoma</i>	52	1550	6	3.9
	<i>Cx tarsalis</i>	27	743	1	1.3
	<i>Cx thriambus</i>	2	29	0	0.0
August					
	<i>Cx erythrothorax</i>	2	79	0	0.0
	<i>Cx quinquefasciatus</i>	73	2298	16	7.0
	<i>Cx stigmatosoma</i>	8	258	3	11.6
	<i>Cx tarsalis</i>	13	295	0	0.0
	<i>Cx thriambus</i>	1	45	0	0.0
September					
	<i>Cx erythrothorax</i>	2	27	0	0.0
	<i>Cx quinquefasciatus</i>	36	1233	6	4.9
	<i>Cx stigmatosoma</i>	3	111	1	9.0
	<i>Cx tarsalis</i>	3	58	0	0.0
Owens Valley MAP					
June					
	<i>Cx erythrothorax</i>	10	500	0	0.0
	<i>Cx tarsalis</i>	19	705	0	0.0
July					
	<i>Cx tarsalis</i>	76	3826	2	0.5
August					
	<i>Cx tarsalis</i>	22	1060	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
Placer MAD					
June					
	<i>Cx erythrothorax</i>	3	150	0	0.0
	<i>Cx pipiens</i>	7	311	0	0.0
	<i>Cx tarsalis</i>	20	745	2	2.7
	<i>Oc melanimon</i>	1	30	0	0.0
	<i>Oc nigromaculis</i>	1	50	0	0.0
July					
	<i>An freeborni</i>	2	32	0	0.0
	<i>Cs incidens</i>	2	45	0	0.0
	<i>Cx pipiens</i>	13	539	1	1.9
	<i>Cx tarsalis</i>	23	826	5	6.1
	<i>Oc melanimon</i>	1	6	0	0.0
August					
	<i>An freeborni</i>	38	1511	0	0.0
	<i>Cx erythrothorax</i>	4	150	0	0.0
	<i>Cx pipiens</i>	33	1316	5	3.8
	<i>Cx stigmatosoma</i>	4	37	0	0.0
	<i>Cx tarsalis</i>	67	2636	7	2.7
	<i>Oc increpitus</i>	1	12	0	0.0
	<i>Oc melanimon</i>	6	239	0	0.0
	<i>Oc nigromaculis</i>	1	9	0	0.0
September					
	<i>An freeborni</i>	5	87	0	0.0
	<i>Cx pipiens</i>	9	354	0	0.0
	<i>Cx stigmatosoma</i>	1	11	0	0.0
	<i>Cx tarsalis</i>	12	389	0	0.0
	<i>Oc melanimon</i>	2	60	0	0.0
Presidio Trust					
June					
	<i>Cs incidens</i>	1	54	0	0.0
	<i>Cx tarsalis</i>	1	10	0	0.0
August					
	<i>Cs incidens</i>	1	73	0	0.0
	<i>Cx erythrothorax</i>	1	12	0	0.0
September					
	<i>Cs incidens</i>	2	36	0	0.0
	<i>Cx erythrothorax</i>	4	160	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
Riverside County Environ Health				
March				
<i>Cx erythrothorax</i>	3	114	0	0.0
<i>Cx tarsalis</i>	3	93	0	0.0
April				
<i>Cx erythrothorax</i>	11	444	0	0.0
<i>Cx tarsalis</i>	17	667	0	0.0
May				
<i>Cx erythrothorax</i>	38	1857	0	0.0
<i>Cx stigmatosoma</i>	4	67	0	0.0
<i>Cx tarsalis</i>	31	1301	0	0.0
June				
<i>Cx erythrothorax</i>	32	1595	1	0.6
<i>Cx stigmatosoma</i>	2	92	1	10.9
<i>Cx tarsalis</i>	79	3680	5	1.4
July				
<i>Cx erythrothorax</i>	38	1848	3	1.6
<i>Cx quinquefasciatus</i>	1	18	0	0.0
<i>Cx stigmatosoma</i>	4	153	1	6.5
<i>Cx tarsalis</i>	25	1039	3	2.9
August				
<i>Cx erythrothorax</i>	21	920	3	3.3
<i>Cx quinquefasciatus</i>	3	66	0	0.0
<i>Cx stigmatosoma</i>	4	64	0	0.0
<i>Cx tarsalis</i>	26	686	0	0.0
September				
<i>Cx erythrothorax</i>	16	740	2	2.7
<i>Cx quinquefasciatus</i>	4	66	0	0.0
<i>Cx stigmatosoma</i>	4	98	0	0.0
<i>Cx tarsalis</i>	10	374	0	0.0
Sacramento-Yolo MVCD				
April				
<i>Cs incidens</i>	2	73	0	0.0
<i>Cx erythrothorax</i>	3	83	0	0.0
<i>Cx pipiens</i>	4	121	0	0.0
<i>Cx tarsalis</i>	2	20	0	0.0
<i>Oc sierrensis</i>	4	146	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
May					
	<i>Ae vexans</i>	1	14	0	0.0
	<i>Cx erythrothorax</i>	14	671	0	0.0
	<i>Cx pipiens</i>	20	657	0	0.0
	<i>Cx tarsalis</i>	9	274	0	0.0
	<i>Oc sierrensis</i>	2	64	0	0.0
June					
	<i>Ae vexans</i>	4	99	0	0.0
	<i>An freeborni</i>	4	68	0	0.0
	<i>Cs incidens</i>	22	567	0	0.0
	<i>Cx erythrothorax</i>	15	684	0	0.0
	<i>Cx pipiens</i>	82	2477	4	1.6
	<i>Cx stigmatosoma</i>	1	13	0	0.0
	<i>Cx tarsalis</i>	54	1923	0	0.0
	<i>Oc melanimon</i>	3	87	0	0.0
	<i>Oc sierrensis</i>	2	39	0	0.0
	<i>Oc sticticus</i>	4	130	0	0.0
July					
	<i>Ae vexans</i>	3	59	0	0.0
	<i>An freeborni</i>	9	257	0	0.0
	<i>Cs incidens</i>	28	520	0	0.0
	<i>Cx pipiens</i>	180	4648	53	11.4
	<i>Cx stigmatosoma</i>	2	13	0	0.0
	<i>Cx tarsalis</i>	190	6107	26	4.3
	<i>Oc melanimon</i>	10	397	0	0.0
August					
	<i>Ae vexans</i>	15	426	0	0.0
	<i>Cs incidens</i>	1	5	0	0.0
	<i>Cx erythrothorax</i>	30	696	1	1.4
	<i>Cx pipiens</i>	305	4264	37	8.7
	<i>Cx stigmatosoma</i>	10	19	0	0.0
	<i>Cx tarsalis</i>	286	6771	18	2.7
	<i>Cx thriambus</i>	2	11	1	90.9
	<i>Oc melanimon</i>	3	5	0	0.0
	<i>Oc melanimon</i>	24	175	0	0.0
	<i>Oc sierrensis</i>	2	3	0	0.0
	<i>Oc washinoi</i>	1	4	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
September				
<i>Ae vexans</i>	20	497	0	0.0
<i>Cx erythrothorax</i>	26	772	0	0.0
<i>Cx pipiens</i>	311	4030	8	2.0
<i>Cx stigmatosoma</i>	28	70	1	14.3
<i>Cx tarsalis</i>	223	3768	4	1.1
<i>Oc melaminon</i>	2	2	0	0.0
<i>Oc melanimon</i>	33	152	0	0.0
San Bernardino County VCP				
February				
<i>Cx erythrothorax</i>	1	11	0	0.0
<i>Cx tarsalis</i>	1	10	0	0.0
March				
<i>Cs incidens</i>	8	201	0	0.0
<i>Cs inornata</i>	2	24	0	0.0
<i>Cx quinquefasciatus</i>	8	162	0	0.0
<i>Cx stigmatosoma</i>	3	30	0	0.0
<i>Cx tarsalis</i>	3	59	0	0.0
April				
<i>Cs incidens</i>	7	166	0	0.0
<i>Cs inornata</i>	2	21	0	0.0
<i>Cx quinquefasciatus</i>	10	357	0	0.0
<i>Cx stigmatosoma</i>	4	102	0	0.0
<i>Cx tarsalis</i>	10	358	0	0.0
May				
<i>Cs incidens</i>	12	346	0	0.0
<i>Cx quinquefasciatus</i>	16	558	0	0.0
<i>Cx stigmatosoma</i>	9	121	0	0.0
<i>Cx tarsalis</i>	7	212	0	0.0
June				
<i>An hermsi</i>	1	8	0	0.0
<i>Cs incidens</i>	9	178	0	0.0
<i>Cx erythrothorax</i>	9	315	0	0.0
<i>Cx quinquefasciatus</i>	66	2819	1	0.4
<i>Cx stigmatosoma</i>	13	275	0	0.0
<i>Cx tarsalis</i>	112	5035	1	0.2

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
July				
<i>An franciscanus</i>	1	10	0	0.0
<i>An hermsi</i>	1	9	0	0.0
<i>Cs incidens</i>	4	70	0	0.0
<i>Cx erythrothorax</i>	2	42	0	0.0
<i>Cx quinquefasciatus</i>	27	921	4	4.3
<i>Cx stigmatosoma</i>	5	123	0	0.0
<i>Cx tarsalis</i>	12	396	0	0.0
August				
<i>Ae vexans</i>	2	18	0	0.0
<i>An hermsi</i>	1	10	0	0.0
<i>Cs incidens</i>	3	71	0	0.0
<i>Cx quinquefasciatus</i>	31	1298	3	2.3
<i>Cx stigmatosoma</i>	1	12	0	0.0
<i>Cx tarsalis</i>	14	511	5	9.8
September				
<i>An hermsi</i>	1	18	0	0.0
<i>Cx quinquefasciatus</i>	8	294	0	0.0
<i>Cx stigmatosoma</i>	1	10	0	0.0
<i>Cx tarsalis</i>	38	1762	4	2.3
San Diego Dept Envl Health				
March				
<i>Cx erythrothorax</i>	11	550	0	0.0
<i>Cx quinquefasciatus</i>	1	50	0	0.0
<i>Cx tarsalis</i>	2	41	0	0.0
<i>Oc increpitus</i>	1	50	0	0.0
<i>Oc squamiger</i>	2	80	0	0.0
April				
<i>An hermsi</i>	2	94	0	0.0
<i>Cs incidens</i>	1	50	0	0.0
<i>Cx erythrothorax</i>	11	550	0	0.0
<i>Cx quinquefasciatus</i>	2	65	0	0.0
<i>Cx squamiges</i>	1	50	0	0.0
<i>Cx stigmatosoma</i>	2	57	0	0.0
<i>Cx tarsalis</i>	11	457	0	0.0
<i>Oc increpitus</i>	2	100	0	0.0
<i>Oc squamiger</i>	1	50	0	0.0
May				
<i>Cx erythrothorax</i>	17	850	0	0.0
<i>Cx quinquefasciatus</i>	10	492	0	0.0
<i>Cx stigmatosoma</i>	2	65	0	0.0
<i>Cx tarsalis</i>	28	1360	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
June					
	<i>Cx pipiens</i>	5	245	0	0.0
	<i>Cx stigmatosoma</i>	1	50	0	0.0
	<i>Cx tarsalis</i>	11	550	0	0.0
July					
	<i>Cx tarsalis</i>	4	200	0	0.0
August					
	<i>Cx stigmatosoma</i>	1	24	0	0.0
	<i>Cx tarsalis</i>	8	390	0	0.0
	<i>Cx thriambus</i>	1	27	0	0.0
San Gabriel Valley MVCD					
July					
	<i>Cx quinquefasciatus</i>	1	12	1	83.3
	<i>Cx tarsalis</i>	1	43	1	23.3
San Joaquin County MVCD					
June					
	<i>Ae vexans</i>	52	2526	0	0.0
	<i>Cs incidens</i>	1	17	0	0.0
	<i>Cs inornata</i>	4	111	0	0.0
	<i>Cx pipiens</i>	4	136	0	0.0
	<i>Cx tarsalis</i>	22	1040	0	0.0
	<i>Oc melanimon</i>	12	551	0	0.0
July					
	<i>Cx tarsalis</i>	3	130	1	7.7
San Luis Obispo County Health Dept					
June					
	<i>Cx stigmatosoma</i>	1	20	0	0.0
	<i>Cx tarsalis</i>	1	45	0	0.0
July					
	<i>Cx erythrothorax</i>	15	717	0	0.0
	<i>Cx pipiens</i>	1	33	0	0.0
	<i>Oc dorsalis</i>	10	500	0	0.0
August					
	<i>Cx erythrothorax</i>	4	188	0	0.0
	<i>Cx stigmatosoma</i>	4	158	0	0.0
	<i>Cx tarsalis</i>	3	91	1	11.0
	<i>Oc dorsalis</i>	4	167	0	0.0
September					
	<i>Cx pipiens</i>	1	42	0	0.0
	<i>Cx stigmatosoma</i>	2	41	1	24.4
	<i>Cx tarsalis</i>	2	73	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
San Mateo County MAD				
May				
<i>Cx erythrothorax</i>	9	450	0	0.0
<i>Cx pipiens</i>	5	194	0	0.0
<i>Cx tarsalis</i>	2	71	0	0.0
June				
<i>Cx pipiens</i>	30	1460	0	0.0
<i>Cx tarsalis</i>	4	133	0	0.0
<i>Oc washinoi</i>	4	200	0	0.0
July				
<i>Cx pipiens</i>	17	808	0	0.0
August				
<i>Cs incidens</i>	3	101	0	0.0
<i>Cx erythrothorax</i>	7	313	0	0.0
<i>Cx pipiens</i>	4	83	0	0.0
September				
<i>Cx erythrothorax</i>	20	987	0	0.0
<i>Cx pipiens</i>	28	1356	0	0.0
Santa Barbara Coastal VCD				
April				
<i>An hermsi</i>	2	93	0	0.0
<i>Cs incidens</i>	1	24	0	0.0
<i>Cs inornata</i>	1	17	0	0.0
<i>Cs particeps</i>	1	24	0	0.0
<i>Cx erythrothorax</i>	3	39	0	0.0
<i>Cx quinquefasciatus</i>	6	188	0	0.0
<i>Cx stigmatosoma</i>	2	44	0	0.0
<i>Cx tarsalis</i>	23	1102	0	0.0
<i>Oc squamiger</i>	2	29	0	0.0
<i>Oc washinoi</i>	19	900	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
May					
	<i>An hermsi</i>	1	49	0	0.0
	<i>Cs incidens</i>	2	29	0	0.0
	<i>Cs inornata</i>	1	15	0	0.0
	<i>Cs particeps</i>	3	97	0	0.0
	<i>Cx erythrothorax</i>	13	577	0	0.0
	<i>Cx quinquefasciatus</i>	4	130	0	0.0
	<i>Cx stigmatosoma</i>	3	98	0	0.0
	<i>Cx tarsalis</i>	16	764	0	0.0
	NONE GIVEN	1	17	0	0.0
	<i>Oc sierrensis</i>	2	32	0	0.0
	<i>Oc washinoi</i>	5	214	0	0.0
June					
	<i>An franciscanus</i>	2	49	0	0.0
	<i>An hermsi</i>	4	123	0	0.0
	<i>Cs incidens</i>	1	10	0	0.0
	<i>Cs particeps</i>	2	25	0	0.0
	<i>Cx erythrothorax</i>	4	110	0	0.0
	<i>Cx stigmatosoma</i>	3	50	0	0.0
	<i>Cx tarsalis</i>	13	582	1	1.7
	<i>Oc washinoi</i>	1	30	0	0.0
July					
	<i>An franciscanus</i>	13	571	0	0.0
	<i>An hermsi</i>	8	304	0	0.0
	<i>Cs incidens</i>	2	47	0	0.0
	<i>Cs particeps</i>	3	82	0	0.0
	<i>Cx erythrothorax</i>	31	1505	1	0.7
	<i>Cx quinquefasciatus</i>	7	259	0	0.0
	<i>Cx stigmatosoma</i>	6	138	0	0.0
	<i>Cx tarsalis</i>	11	415	3	7.2
	<i>Oc sierrensis</i>	1	17	0	0.0
August					
	<i>An franciscanus</i>	4	148	0	0.0
	<i>An hermsi</i>	5	162	0	0.0
	<i>Cs incidens</i>	2	29	0	0.0
	<i>Cs particeps</i>	1	16	0	0.0
	<i>Cx erythrothorax</i>	54	2530	2	0.8
	<i>Cx quinquefasciatus</i>	19	823	0	0.0
	<i>Cx species</i>	2	25	0	0.0
	<i>Cx stigmatosoma</i>	6	99	0	0.0
	<i>Cx tarsalis</i>	28	1247	11	8.8
	<i>Oc taeniorhynchus</i>	6	242	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
September					
	<i>An franciscanus</i>	1	10	0	0.0
	<i>An hermsi</i>	1	15	0	0.0
	<i>Cs incidens</i>	1	11	0	0.0
	<i>Cs particeps</i>	2	22	0	0.0
	<i>Cx erythrothorax</i>	25	1195	1	0.8
	<i>Cx quinquefasciatus</i>	7	280	0	0.0
	<i>Cx stigmatosoma</i>	4	86	0	0.0
	<i>Cx tarsalis</i>	6	213	2	9.4
	<i>Oc taeniorhynchus</i>	2	64	0	0.0
Santa Clara County VCD					
July					
	<i>Cx tarsalis</i>	1	50	1	20.0
August					
	<i>Cx pipiens</i>	1	50	1	20.0
	<i>Cx tarsalis</i>	1	18	1	55.6
Santa Cruz County MVCD					
August					
	<i>Cx pipiens</i>	7	246	0	0.0
September					
	<i>Cx erythrothorax</i>	12	557	0	0.0
	<i>Cx pipiens</i>	1	25	0	0.0
Shasta MVCD					
July					
	<i>Cx tarsalis</i>	2	100	0	0.0
August					
	<i>Cx erythrothorax</i>	1	14	0	0.0
	<i>Cx pipiens</i>	11	416	0	0.0
	<i>Cx stigmatosoma</i>	7	275	0	0.0
	<i>Cx tarsalis</i>	5	122	0	0.0
	<i>NONE GIVEN</i>	2	19	0	0.0
September					
	<i>Cx pipiens</i>	14	540	0	0.0
	<i>Cx stigmatosoma</i>	3	43	0	0.0
	<i>Cx tarsalis</i>	3	65	0	0.0
	<i>Oc melanimon</i>	1	13	0	0.0
Sutter-Yuba MVCD					
May					
	<i>Cx pipiens</i>	3	98	0	0.0
	<i>Cx tarsalis</i>	3	75	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
June					
	<i>Cx pipiens</i>	18	550	2	3.6
	<i>Cx tarsalis</i>	55	2570	4	1.6
	<i>Oc melanimon</i>	1	43	0	0.0
	<i>Oc sticticus</i>	2	100	0	0.0
July					
	<i>Cx pipiens</i>	9	220	0	0.0
	<i>Cx tarsalis</i>	100	4766	26	5.5
	<i>Oc melanimon</i>	1	50	0	0.0
August					
	<i>Cx pipiens</i>	5	143	1	7.0
	<i>Cx tarsalis</i>	91	4059	12	3.0
September					
	<i>Ae vexans</i>	4	200	0	0.0
	<i>Cx pipiens</i>	2	85	0	0.0
	<i>Cx tarsalis</i>	32	1537	2	1.3
	<i>Oc melanimon</i>	14	679	0	0.0
Tehama County MVCD					
August					
	<i>Cx tarsalis</i>	3	96	0	0.0
Turlock MVCD					
May					
	<i>Ae vexans</i>	6	134	0	0.0
	<i>Cs incidens</i>	2	64	0	0.0
	<i>Cs inornata</i>	11	315	0	0.0
	<i>Cx erythrothorax</i>	38	1308	0	0.0
	<i>Cx pipiens</i>	32	1113	0	0.0
	<i>Cx tarsalis</i>	47	1747	0	0.0
	<i>Oc melanimon</i>	13	394	0	0.0
June					
	<i>Cs incidens</i>	4	50	0	0.0
	<i>Cs inornata</i>	1	50	0	0.0
	<i>Cx erythrothorax</i>	5	226	0	0.0
	<i>Cx pipiens</i>	67	2654	0	0.0
	<i>Cx tarsalis</i>	153	6768	0	0.0
	<i>Oc melanimon</i>	30	1234	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

		<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
July					
	<i>Cs inornata</i>	2	17	0	0.0
	<i>Cx erythrothorax</i>	6	268	0	0.0
	<i>Cx pipiens</i>	60	1538	9	5.9
	<i>Cx tarsalis</i>	62	2055	2	1.0
	<i>Oc melanimon</i>	3	150	0	0.0
August					
	<i>Cx erythrothorax</i>	8	316	0	0.0
	<i>Cx pipiens</i>	164	4658	51	10.9
	<i>Cx tarsalis</i>	60	1257	7	5.6
	<i>Oc melanimon</i>	3	43	0	0.0
September					
	<i>Cx erythrothorax</i>	5	112	0	0.0
	<i>Cx pipiens</i>	156	5760	35	6.1
	<i>Cx tarsalis</i>	39	621	2	3.2
	<i>Oc melanimon</i>	7	151	0	0.0
Ventura County Environ Health Dept					
June					
	<i>Cs incidens</i>	2	100	0	0.0
	<i>Cx erythrothorax</i>	7	350	1	2.9
	<i>Cx pipiens</i>	1	50	0	0.0
	<i>Cx tarsalis</i>	3	99	0	0.0
July					
	<i>Cx erythrothorax</i>	5	250	0	0.0
	<i>Cx pipiens</i>	2	68	0	0.0
August					
	<i>An franciscanus</i>	1	13	0	0.0
	<i>Cx pipiens</i>	3	90	0	0.0
	<i>Cx tarsalis</i>	8	186	1	5.4
September					
	<i>Cx pipiens</i>	1	27	0	0.0
	<i>Cx tarsalis</i>	5	216	0	0.0
West Side MVCD					
April					
	<i>Cx quinquefasciatus</i>	4	163	0	0.0
	<i>Cx tarsalis</i>	55	2750	0	0.0
May					
	<i>Cx quinquefasciatus</i>	35	1720	0	0.0
	<i>Cx tarsalis</i>	51	2525	0	0.0

Note: Remember that MIRs based on small sample sizes may or may not accurately represent the true infection rate in the population. Also, MIRs based on pools previously tested with rapid tests may not be representative of the true infection rate. An online form for submitting local rapid test results to be included in the state database will be available soon.

	<u>Pools</u>	<u>Total Mosquitoes</u>	<u>WN Positives</u>	<u>MIR/1,000</u>
June				
<i>Cx quinquefasciatus</i>	30	1423	0	0.0
<i>Cx tarsalis</i>	62	3100	0	0.0
July				
<i>Cx quinquefasciatus</i>	8	400	2	5.0
<i>Cx tarsalis</i>	9	383	5	13.1
August				
<i>Cx quinquefasciatus</i>	8	216	1	4.6
<i>Cx tarsalis</i>	16	757	4	5.3
West Valley MVCD				
June				
<i>Cx quinquefasciatus</i>	8	297	1	3.4
<i>Cx tarsalis</i>	3	114	3	26.3
July				
<i>Cx quinquefasciatus</i>	41	1854	10	5.4
<i>Cx tarsalis</i>	5	172	4	23.3

1192 total positive female pools